



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>6</sup> :</b> <b>A01N 25/04, 25/30, 43/70 // (A01N 43/70, 37:22, 25:04)</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 99/40784</b> <b>(43) International Publication Date:</b> 19 August 1999 (19.08.99)
<b>(21) International Application Number:</b> PCT/EP99/00818 <b>(22) International Filing Date:</b> 8 February 1999 (08.02.99) <b>(30) Priority Data:</b> 98810098.8                      10 February 1998 (10.02.98)                      EP <b>(71) Applicant (for all designated States except AT US):</b> NOVARTIS AG [CH/CH]; Schwarzwaldallee 215, CH-4058 Basel (CH). <b>(71) Applicant (for AT only):</b> NOVARTIS-ERFINDUNGEN VERWALTUNGSGESELLSCHAFT M.B.H. [AT/AT]; Brunner Strasse 59, A-1235 Vienna (AT). <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only):</b> GUBEL-MANN-BONNEAU, Isabelle [FR/US]; 180 Sayre Drive, Plainsboro TWSP, Princeton, NJ 08540 (US). PFAMMATTER, Freddy [CH/CH]; Haldenweg 28, CH-4310 Rheinfelden (CH). SCHLATTER, Christian [CH/CH]; Hauptstrasse 120, CH-4313 Möhlin (CH). VOGT, Manfred [DE/DE]; Rheinstrasse 25, D-79713 Bad Säckingen (DE).		<b>(74) Agent:</b> BECKER, Konrad; Novartis AG, Corporate Intellectual Property, Patent & Trademark Dept., CH-4002 Basel (CH). <b>(81) Designated States:</b> AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). <b>Published</b> <i>With international search report.</i>
<b>(54) Title:</b> PESTICIDAL COMPOSITIONS		
<b>(57) Abstract</b> <p>Pesticidal compositions in form of aqueous suspoemulsions, comprising at least two pesticides which are substantially insoluble in water, wherein one pesticide A is solid and the other pesticide B is liquid or is dissolved in a hydrophobic organic solvent, and a combination of surfactants comprising (1) a tristyrylphenol-ethoxylate having 6-14 mol ethoxylate, in nonionic form, and (2) a tristyrylphenol-ethoxylate having 14-18 mol ethoxylate in form of its sulfate or phosphate, in anionic or acid form, and (3) a dialkyl-sulfosuccinate salt.</p>		

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

### Pesticidal Compositions

The present invention relates to pesticidal compositions in form of aqueous suspoemulsions, comprising at least two pesticides which are substantially insoluble in water, wherein one pesticide A is solid and the other pesticide B is liquid or is dissolved in a hydrophobic organic solvent, and a combination of surfactants comprising

- (1) a tristerylphenol-ethoxylate having 6-14 mol ethoxylate, in nonionic form, and
- (2) a tristerylphenol-ethoxylate having 14-18 mol ethoxylate in form of its sulfate or phosphate, in anionic or acid form, and
- (3) a dialkyl-sulfosuccinate salt.

Suspoemulsions according to the invention consist of at least three phases: an aqueous phase, comprising pesticide A in solid dispersed form, and an organic phase comprising pesticide B, either in liquid form or dissolved in an organic hydrophobic solvent. Normally the aqueous phase is the continuous phase.

Such suspoemulsions are very sensible systems regarding physical and chemical stability.

Suspoemulsions comprising pesticides are described for example in EP 88,049, EP 143,099 and EP 261,492.

However, the known suspoemulsions do not always satisfy the needs of agricultural practice in many incidents and aspects: some suspoemulsions are not suitable for certain pesticide combination due to lacking stability. For example, they become inhomogeneous on storage, pH or viscosity are not remaining constant, particle size is growing which may plug the nozzle of the spray device, or the active ingredient may decompose. As a result the handling is rendered difficult and the biological efficacy is reduced.

Furtheron, some of the surfactants used in the known suspoemulsions, as alkylphenol ethoxylates, for example nonylphenol ethoxylates, are not entirely satisfactory with respect to their ecological and toxicological properties, and their replacement is desirable.

The suspoemulsions provided herewith are storage stable, easy to apply, ecological and toxicological favourable and have good pesticidal efficacy.

The compositions according to the invention are stable for at least 12 months at 25°C.

Suitable salts of the surfactants are, for example, metal salts, such as alkali metal or alkaline earth metal salts, for example sodium, potassium calcium or magnesium salts, or salts with ammonia or an organic amine, such as morpholine, piperidine, pyrrolidine, a mono-, di- or tri-lower alkylamine, for example ethyl-, diethyl-, triethyl- or dimethyl-propylamine, or a mono-, di- or tri-hydroxy-lower alkylamine, for example mono-, di- or tri-ethanolamine.

Preferred combinations of surfactants are

- (1) a tristerylphenol-ethoxylate having 8-12, preferably 10 mol ethoxylate, and
- (2) a tristerylphenol-ethoxylate having 16 mol ethoxylate, in form of its sulfate or phosphate, preferably in form of its ammonium sulfate, and
- (3) a dioctyl-sulfosuccinate salt, preferably the sodium salt.

Pesticides which are substantially insoluble in water means their solubility at room temperature is less than 2%, preferably less than 0.2%. Liquid means the melting point is below 30°C.

The term pesticide is understood to encompass herbicides, insecticides, acaricides, nematocides, ectoparasiticides, fungicides and plant growth regulators; many of them are described in The Pesticide Manual, 11th Ed, British Crop Protection Council.

Preference is given to herbicides.

Suitable herbicides A, which are solid and substantially insoluble water are for example triazine derivatives, as atrazine, terbutryn, prometryn, terbuthylazine, ametryn, cyanazine, desmetrine, propazine, simazine, simetryn, terbumeton; preferred are atrazine, terbutryn, prometryn, and terbuthylazine; or urea derivatives, as isoproturon, chlorobromuron, chlorotoluron, diuron, metobromuron, metoxuron.

Suitable herbicides B, which are liquid or soluble in a hydrophobic organic solvent, are acetanilide derivatives, as alachlor, metolachlor or S-metolachlor (S-enantiomer of racemic metolachlor); preferred are metolachlor and S-metolachlor.

Particularly preferred are the combinations atrazine/metolachlor and atrazine/S-metolachlor. It may be advantageous to combine the herbicides with a safener, for example with benoxacor.

Suitable fungicides A are for example sulfur, copperhydroxide, mancozeb, folpet, chlorthalonil, carbendazim, acibenzolar-S-methyl.

Suitable fungicides B are for example benomyl, cyprodinil, dimethomorph, edifenphos, fenpropimorph, metalaxyl, (R)-metalaxyl (enantiomer), oxadixyl, pyrifenoxy, thiabendazole,

tridemorph, azoxystrobin, kresoxim-methyl or triazoles such as propiconazol, difenoconazol, bromoconazol, cyproconazole, epoxyconazol, hexaconazol, ipconazol, fenbuconazol, myclobutanil, penconazol, tebuconazol, triadimefon, triadimenol, tetraconazol, triticonazol, or uniconazol; furtheron famoxadone, quinoxifen, spiroxamin, fludioxonil, fenpiclonil, fenhexamid and 2-[ $\alpha$ -{[( $\alpha$ -methyl-3-trifluoromethyl-benzyl)imino]-oxy}-o-tolyl] -glyoxylic acid-methylester-O-methyloxim.

Suitable insecticides/acaricides are benthocarb, diflubenzuron, teflubenzuron, lufenuron, diafenthiuron or pyrethroide such as bifenthrin, bioallethrin, tau-fluvalinate, resmethrin, permethrin, cypermethrin, cyfluthrin, cyhalothrin, deltamethrin, tefluthrin or tetramethrin; furtheron pymetrozin, thiocyclam, fenoxycarb, methopren, abamectin and emamectin.

Suitable hydrophobic organic solvents in which the pesticides may be dissolved are aliphatic and aromatic hydrocarbons such as hexane, cyclohexane, benzene, toluene, xylene, mineral oil or kerosin, mixtures or substituted naphthalenes, mixtures of mono- and polyalkylated aromatics, halogenated hydrocarbons such as methylene chloride, chloroform and o-dichlorobenzene; phthalates, such as dibutyl phthalate or dioctyl phthalate; ethers and esters, such as ethylene glycol monomethyl or monoethyl ether, fatty acid esters; pyrrolinones, such as N-octylpyrrolidone, ketones, such as cyclohexanone; plant oils such as castor oil, soybean oil, cottonseed oil and possible methyl esters thereof; as well as epoxidised coconut oil or soybean oil.

The amount of organic solvent is not critical and can vary from 0 to 50%, depending on the solubility of the respective pesticide.

The average size of the suspended particles is 0.5 to 20, preferably 1 to 5 microns when measured with a laser particle analyzer, e.g. a CILAS 920 apparatus.

The viscosity of the suspoemulsion is 100 to 2000, preferably 200 to 1500, most preferably 300 to 1000 mPas when measured with a BROOKFIELD viscosimeter with spindle 3 at 30 rpm and 20°C.

Suitable concentrations in relation to the composition are (% weight/weight):

1 to 95%, preferably 5 to 90%, more preferably 10 to 80% by weight of pesticides A and B, 3 to 90%, preferably 5 to 80%, more preferably 10 to 60% by weight of water, and

1 to 40%, preferably 2 to 20%, more preferably 4 to 12%, most preferably 6-8% by weight of the surfactants (1), (2) and (3) in total.

The ratio of the pesticide A : pesticide B is 1:99 to 99:1, preferably 1:5 to 5:1 and 1:2 to 2:1.

The concentration of the surfactants is

0.5 to 20%, preferably 1 to 10%, more preferably 1 to 5% by weight of surfactant (1)

0.2 to 15%, preferably 0.5 to 10%, more preferably 1 to 5% by weight of surfactant (2)

0.2 to 20%, preferably 0.5 to 15%, more preferably 1 to 5% by weight of surfactant (3).

The composition according to the invention may comprise additional dispersants and adjuvants, as (in % by weight)

a dispersing agent, 0 to 20%, preferably 0.2 to 5%, e.g. fatty alcohols ethers, fatty acid esters, arylsulfonates as polynaphthalenesulfonate, alkylarylsulfonates as dodecylbenzene sulfonate, alkylsulfonates as sodium sulfosuccinate, polyalkyleneglycol ethers, acrylic Graft Co-Polymer, N-methyl-N-oleyl-taurin Na salt or polyvinylalcohol, preferably 0.2 to 5% dodecylbenzene sulfonate calcium;

a thickening agent, 0 to 2%, preferably 0.1 to 1%, e.g. xanthan gum, heteropolysaccharides, oxypropylated cellulose, precipitated or fused silica (hydrophobized or non-hydrophobized), gelatine, polysaccharides, tetramethyl decyne diol, ethoxylated dialkyl phenol, methylated clay, propylene carbonate, hydrogenated castor oil, ethoxylated vegetable oil, sodium benzoate or hexanediol;

an antifreeze agent, 0 to 20%, preferably 1 to 10% , e.g. 1,2-propyleneglycol, glycerine, ethyleneglycol or freezing point-lowering salts;

a defoaming agent, 0 to 5%, preferably 0.1 to 2%, e.g. silicone oil, alcohols, fluoroorganics or mineral oils;

a preservative/biocide, 0 to 10%, preferably 0.1 to 3% , e.g. formaldehyde, 1,2-benzisothiazol-3(2H)-one or its salts, or benzoic acid;

a buffer. 0 to 5%, preferably 0.1 to 3% , e.g. acetic acid (AcOH)/NaOH or AcOH/KOH,  $\text{H}_3\text{PO}_4$ /NaOH or  $\text{H}_3\text{PO}_4$ /KOH, citric acid/NaOH or citric acid/KOH, or  $\text{KH}_2\text{PO}_4$ /Borax; as well as further wetting, dispersing and emulsifying agents, organic solvents, cosolvents and oils.

Another object of the invention is a process for preparing a composition as herein described, by grinding or milling the solid pesticide and then intimately mixing, optionally by warming, the components, until a homogeneous phase is achieved.

In another aspect of the invention the composition is an aqueous spray mixture.

Before the application, the composition of the invention may be diluted with water by simple mixing at ambient temperature in order to get a ready for use spray mixture.

The resulting spray mixtures are stable, i.e. they remain as a homogeneously dispersed phase on standing without agitation for at least one hour to 12 hours or even more.

Preferred concentrations of the spray mixture are 0.05 to 10 %, more preferred 0.2 to 5% pesticide in relation to the spray mixture.

A further aspect of the invention is a method of preventing or combatting undesirable plant growth, infestation of plants or animals by pests and regulating plant growth by diluting the composition according to claim 1 with water and applying a pesticidally effective amount to the cultivation area, to the plant or animal.

#### Preparation examples

The following Examples illustrate the invention in more detail. The registered trademarks and other designations denote the following products:

The suppliers are known or may easily be found, e.g. in "McCutcheon's Emulsifiers and Detergents", Rock Road, Glen Rock, NJ 07452-1700, USA, 1997.

SOPROPHOR TS 10 <sup>®</sup>	Tristyrylphenol-10 EO	surfactant (1)
SOPROPHOR TS 8 <sup>®</sup> (supplier: RHODIA, 25, Quai Paul Doumer F-92408 Courbevoie)	Tristyrylphenol-8 EO	
SOPROPHOR 4 D 384 <sup>®</sup> (RHODIA)	Tristyrylphenol-16 EO, ammonium sulfate	surfactant (2)
GEROPON DOS/PG <sup>®</sup> (RHODIA)	sodium dioctyl sulfosuccinate (65% in propyleneglycol)	surfactant (3)
ANTIFOAM A (DOW) RHODORSIL 426 and 454 (RHODIA)	polymethylsiloxan	defoaming agent

PROXEL GXL (ICI)	sodium 1,2 benzisothiazol-3(2H)-one,	preservative/
PROXEL BD (ICI)	1,2 benzisothiazol-3(2H)-one	biocide
RHODOPOL 23 (RHODIA)	heteropolysaccharides	thickener
ATLOX 4913 (ICI)	Acryl Craft Copolymer (in water/PG)	dispersing agent

EO = ethyleneoxid

The components are intimately mixed, optionally by warming, until a homogeneous phase is achieved.

All the compositions according to the examples are stable for at least 12 months at 25°C.

After diluting with water the compositions form ready to use spray mixtures.

The numbers given in the Examples are concentrations in % weight/weight.

#### Examples 1

		1a	1b	1c	1d
herbicide A	Atrazine	17	31	31	31
herbicide B	Metolachlor	33	21	21	21
surfactant (1)	Soprophor TS 10	4.6	4.6	1.5	2.5
surfactant (2)	Soprophor 4D384	1.2	1.2	2	2.5
surfactant (3)	Geropon DOS/PG	1.2	1.2	4	3
antifreezer	1,2 Propylenglycol	5	5	5	2
defoaming agent	Rhodorsil 426	0.3	0.3	0.3	0.3
preservative	Proxel BD	0.12	0.12	0.12	0.12
thickener	Rhodopol 23	0.12	0.12	0.12	0.12
	Water	ad 100	ad 100	ad 100	ad 100



Examples 2

		2a	2b	2c	2d	2e	2f
herbicide A	Atrazine	30	30	32	37	32	37
herbicide B	S-Metolachlor	28.5	28.5	40	29	40	29
surfactant (1)	Soprophor TS 10	-	5.4	4.6	3.8	4.6	3.8
surfactant (1)	Soprophor TS 8	4.6	-	-	-	-	-
surfactant (2)	Soprophor 4D384	1.2	1	1.2	1.4	1.2	1.4
surfactant (3)	Geroon DOS/PG	1.2	1.2	1.7	1.2	1.7	1.2
dispersing agent	dodecylbenzene sulfonate calcium	-	-	-	-	0.5	1
antifreezer	1,2 Propylenglycol	3	3	5	3	5	3
defoaming agent	Antifoam A	0.3	0.3	0.3	0.3	0.3	0.3
preservative	Proxel GXL	0.03	0.03	0.12	0.03	0.12	0.03
thickener	Rhodopol 23	0.12	0.12	0.12	0.12	0.12	0.12
	Water	ad 100	ad 100	ad 100	ad 100	ad 100	ad 100

Examples 3

		3a	3b	3c
herbicide A	Terbutryn	20	20	20
herbicide B	S-Metolachlor	25	25	25
surfactant (1)	Soprophor TS 10	4.6	1.5	2.5
surfactant (2)	Soprophor 4D384	1.2	1.5	2
surfactant (3)	Geroon DOS/PG	1.2	4.5	3.5
antifreezer	1,2 Propylenglycol	3	3	3
defoaming agent	Antifoam A	0.3	0.3	0.3
preservative	Proxel GXL	0.03	0.03	0.03
thickener	Rhodopol 23	0.12	0.12	0.12
	Water	ad 100	ad 100	ad 100

Examples 4

		4a	4b	4c	4d
herbicide A	Prometryn	20	20	20	20
herbicide B	S-Metolachlor	12.4	12.4	12.4	12.4
surfactant (1)	Soprophor TS 10	3.8	4.5	2.5	4
surfactant (2)	Soprophor 4D384	1.2	1.5	2	1
surfactant (3)	Geroon DOS/PG	1.2	1	2.5	1
dispersing agent	Atlox 4913	2	2	2	2
antifreezer	1,2 Propylenglycol	3	3	3	3
defoaming agent	Antifoam A	0.3	0.3	0.3	0.3
preservative	Proxel GXL	0.03	0.03	0.03	0.03
thickener	Rhodopol 23	0.12	0.12	0.12	0.12
	Water	ad 100	ad 100	ad 100	ad 100

Examples 5

		5a	5b	5c
herbicide A	Terbuthylazin	18.7	18.7	18.7
herbicide B	S-Metolachlor	31.3	31.3	31.3
surfactant (1)	Soprophor TS 10	4.6	1.5	2.5
surfactant (2)	Soprophor 4D384	1.2	1.2	2
surfactant (3)	Geroon DOS/PG	1.2	4.5	3.5
dispersing agent	Atlox 4913	2	2	2
antifreezer	1,2 Propylenglycol	5	5	5
defoaming agent	Antifoam A	0.2	0.2	0.2
preservative	Proxel GXL	0.03	0.03	0.03
thickener	Rhodopol 23	0.12	0.12	0.12
	Water	ad 100	ad 100	ad 100

Comparison Examples

Without either of the surfactants (1), (2) and/or (3) the formulation becomes inhomogeneous after a few weeks or months at 20-25°C.

Claims

1. A pesticidal composition in form of an aqueous suspoemulsion, comprising at least two pesticides A and B which are substantially insoluble in water, wherein pesticide A is solid and pesticide B is liquid or is dissolved in a hydrophobic organic solvent, and a combination of surfactants comprising

- (1) a tristyrylphenol-ethoxylate having 6-14 mol ethoxylate, in nonionic form, and
- (2) a tristyrylphenol-ethoxylate having 14-18 mol ethoxylate in form of its sulfate or phosphate, in anionic or acid form, and
- (3) a dialkyl-sulfosuccinate salt.

2. A composition according to claim 1, wherein the surfactants are

- (1) a tristyrylphenol-ethoxylate having 8-12, preferably 10 mol ethoxylate, and
- (2) a tristyrylphenol-ethoxylate having 16 mol ethoxylate, in form of its sulfate or phosphate, preferably in form of its ammonium sulfate, and
- (3) a dioctyl-sulfosuccinate salt, preferably the sodium salt.

3. A composition according to claim 1, comprising

- 1 to 95% by weight of pesticides A and B,
- 3 to 90% by weight of water,
- 1 to 40% by weight of surfactants (1), (2) and (3).

4. A composition according to claim 1, wherein the ratio of the pesticide A : pesticide B is 1:99 to 99:1.

5. A composition according to claim 1, wherein the concentration of the surfactants is

- 0.5 to 20% of surfactant (1),
- 0.2 to 15% of surfactant (2),
- 0.2 to 20% of surfactant (3).

6. A composition according to claim 1, wherein the pesticides are herbicides.

7. A composition according to claim 6, wherein the herbicide A is a triazine or an urea derivative, and the herbicide B is an acetanilide derivative.
8. A composition according to claim 7, wherein the triazine herbicide A is selected from atrazine, terbutryn, prometryn and terbuthylazine, and wherein the acetanilide herbicide B is selected from metolachlor and S-metolachlor (enantiomer).
9. A composition according to claim 8, comprising the combinations atrazine/metolachlor and atrazine/S-metolachlor.
10. A method of preventing or combatting undesirable plant growth, infestation of plants or animals by pests and regulating plant growth by diluting the composition according to claim 1 with water and applying a pesticidally effective amount to the cultivation area, to the plant or animal.

# INTERNATIONAL SEARCH REPORT

In ternational Application No

PCT/EP 99/00818

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 6 A01N25/04 A01N25/30 A01N43/70 //(A01N43/70, 37:22, 25:04)

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 6 A01N

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	EP 0 261 492 A (HOECHST AG) 30 March 1988 cited in the application see page 2, line 23 - page 3, line 28 ---	1-10
A	US 4 770 694 A (IWASAKI TESUJI ET AL) 13 September 1988 see column 1, line 4 - line 10 see column 1, line 58 - line 60 see column 1, line 62 - column 2, line 59 see column 3, line 56 - line 59 ---	1-10
A	EP 0 633 057 A (RHONE POULENC GERONAZZO SPA) 11 January 1995 see page 2, line 13 - line 30 see page 2, line 51 - line 52 ---	1-10
	-/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

### \* Special categories of cited documents :

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

27 May 1999

Date of mailing of the international search report

04/06/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl.  
Fax: (+31-70) 340-3016

Authorized officer

Lamers, W

# INTERNATIONAL SEARCH REPORT

International Application No

PCT/EP 99/00818

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	WO 96 37101 A (KEMIRA AGRO OY ;HARJU JEANTY PONTUS (FI); AHLKOG TORBJOERN (FI)) 28 November 1996 see page 5, line 12 see page 7, line 37 - line 38 ---	1-10
A	EP 0 088 049 A (CIBA GEIGY AG) 7 September 1983 see page 2, paragraph 3 - page 4, paragraph 3 ----	1-10
A	EP 0 432 062 A (RHONE POULENC CHIMIE) 12 June 1991 see column 1, line 6 - line 30 see column 2, line 45 - column 3, line 5 see column 5; example 6 ----	1-10
A	EP 0 514 769 A (HOECHST AG) 25 November 1992 see page 2, line 31 - line 35 see page 4, line 53 - line 55 -----	1-10

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 99/00818

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0261492 A	30-03-1988	DE 3631558 A	31-03-1988
		AT 131002 T	15-12-1995
		AU 599701 B	26-07-1990
		AU 7847687 A	24-03-1988
		CA 1302106 A	02-06-1992
		DE 3751627 D	18-01-1996
		DK 485787 A	18-03-1988
		ES 2082741 T	01-04-1996
		JP 2593886 B	26-03-1997
		JP 63083001 A	13-04-1988
		SK 409191 A	06-04-1994
		US 5074905 A	24-12-1991
		ZA 8706954 A	21-03-1988
US 4770694 A	13-09-1988	JP 1567367 C	10-07-1990
		JP 57159703 A	01-10-1982
		JP 58042843 B	22-09-1983
		DE 3210869 A	14-10-1982
EP 0633057 A	11-01-1995	FR 2707181 A	13-01-1995
		AU 675319 B	30-01-1997
		AU 6604694 A	19-01-1995
		BR 9402645 A	04-04-1995
		CA 2127485 A	08-01-1995
		FI 943236 A	08-01-1995
		JP 2652000 B	10-09-1997
		JP 7145013 A	06-06-1995
		ZA 9404668 A	17-02-1995
WO 9637101 A	28-11-1996	AU 5695496 A	11-12-1996
EP 0088049 A	07-09-1983	US 4461641 A	24-07-1984
		AT 16147 T	15-11-1985
		AU 558314 B	29-01-1987
		AU 1181583 A	01-09-1983
		BR 8300892 A	16-11-1983
		CA 1199806 A	28-01-1986
		CS 247071 B	13-11-1986
		CY 1411 A	22-04-1988
		DD 209375 A	09-05-1984
		GB 2115284 A,B	07-09-1983
		GR 78114 A	26-09-1984
		JP 1009281 B	16-02-1989
		JP 1524365 C	12-10-1989
		JP 58157707 A	19-09-1983
		KE 3770 A	27-11-1987
		ZA 8300443 A	26-10-1983
		ZW 4983 A	14-09-1983
EP 0432062 A	12-06-1991	FR 2655276 A	07-06-1991
		CA 2031322 A	05-06-1991
		JP 3181329 A	07-08-1991
EP 0514769 A	25-11-1992	AT 142422 T	15-09-1996
		AU 647268 B	17-03-1994
		AU 1626292 A	26-11-1992
		CA 2068826 A	19-11-1992
		CS 9201472 A	16-12-1992

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/EP 99/00818

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP 0514769 A		DE 59207085 D	17-10-1996
		DK 514769 T	10-02-1997
		ES 2092593 T	01-12-1996
		GR 3021209 T	31-12-1996
		JP 5132406 A	28-05-1993
		SK 279082 B	03-06-1998
		US 5518991 A	21-05-1996
<hr/>			